

Form no., print date, title TMT-40		Automotive Fuel Carrier Sticker-24th Series		Date prepared 01/28/2021
Style <input type="checkbox"/> Continuous <input type="checkbox"/> Snap-set <input type="checkbox"/> Envelope	Number of parts 1 <input checked="" type="checkbox"/> See below	Prepared by <input type="checkbox"/> Computer printer <input type="checkbox"/> Typewriter <input type="checkbox"/> Pen / pencil <input type="checkbox"/> See below		
Stock Color Weight Type	<input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Fastening All parts and carbons fastened together by: <input type="checkbox"/> Crimping <input type="checkbox"/> Gluing <input type="checkbox"/> See below	Carbons <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> See below All carbons shall be premium grade, to provide a clear and legible impression on each part.	
Size Tornout Overall 4-1/2" x 3" Stub size <input type="checkbox"/> At printer's option <input type="checkbox"/> Must be	<input type="checkbox"/> All parts identical <input type="checkbox"/> See below	Punching <input type="checkbox"/> Marginal Pinfeeds <input type="checkbox"/> Other:	Envelope construction Window size Window location from left from bottom No deviations greater than 1/16" accepted. <input type="checkbox"/> Diagonal seams Split gumming Free from curl <input type="checkbox"/> See below	
Presswork <input type="checkbox"/> Front only <input checked="" type="checkbox"/> Front and back Head to Ink	<input type="checkbox"/> Marginals <input checked="" type="checkbox"/> Numbering <input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Registration <input type="checkbox"/> All parts must register exactly <input type="checkbox"/> Registration not required <input type="checkbox"/> See below	Perforations <input type="checkbox"/> Vertical - For pinfeeds: Left , Right Other from left / right edge. <input type="checkbox"/> Horizontal - Every between forms Other from top / bottom. <input type="checkbox"/> See below	
Composition <input type="checkbox"/> Printer must set composition <input type="checkbox"/> Negatives <input checked="" type="checkbox"/> Repro copy	Mailing Outside envelope Return envelope Other inserts		Proofs <input checked="" type="checkbox"/> Proofs in duplicate required <input type="checkbox"/> No proofs required	

Special Instructions:

DECAL(SIZE): 4-1/2" X 3", with adhesive on back, plus split on back or bend and peel tab. This shall allow for the easy and complete removal of the backing liner without damaging the printed film.

STOCK: FLEXcon TAMPERmark PM 200 white void II polyester or equal. There shall be incorporated in each sticker a security feature that if an attempt is made to remove the sticker from the vehicle, the sticker will void.

ADHESIVE: Solvent based adhesive.

NOTE WELL: If other than specified stock is proposed, manufacturer's product data sheet and uncolored sample must be submitted with bid.

PRESSWORK(INK): Text and sequential numbering on front of stickers and on the back of the liner text will print in fade resistant black ink. The background of the sticker will print 4 ¼ in. x 2 ¾ in. (this will allow for a 1/8 "white border around the edge of the sticker) with pantone 429 Grey sun inks or comparable. Screening or flood coating is not acceptable.

LAMINATE: After presswork is complete stickers must be laminated with a 1 mil clear poly laminate. Stickers must be guaranteed to hold up to outdoor year round elements for a minimum of three years without fading or cracking.

COPY: Camera-ready copy will be provided. Instructions for applying the sticker will print on the back of the liner.

METHOD OF APPLICATION:

The method of application shall be as follows:

1. Remove protective slip-sheet from adhesive side of the sticker.
2. Position sticker, then squeegee firmly until tightly affixed to surface.



1

Additional sheet(s) of specifications attached.

Negatives and / or reproduction copies become the property of the New York State Department of Taxation and Finance, and must be delivered upon completion of order to:

**BUREAU OF FISCAL SERVICES
ATTN: PURCHASING UNIT
BUILDING 9, ROOM 234, STATE CAMPUS
ALBANY, NY 12227**

Delivery Instructions. All cartons must be marked on outside ends with quantity, form number, and purchase order number. Palletize on disposable pallets if shipment contains 20 or more cartons. Limitation: Height - 6 1/2'; Weight - 1 ton; Width - 42". Shipments not accepted after 3:30 p.m. daily.

Printing Positions

Form no., print date, title TMT-40		Automotive Fuel Carrier Sticker-24th Series		Date prepared 01/28/2021
Style <input type="checkbox"/> Continuous <input type="checkbox"/> Snap-set <input type="checkbox"/> Envelope	Number of parts 1 <input checked="" type="checkbox"/> See below	Prepared by <input type="checkbox"/> Computer printer <input type="checkbox"/> Typewriter <input type="checkbox"/> Pen / pencil <input type="checkbox"/> See below		
Stock Color Weight Type	<input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Fastening All parts and carbons fastened together by: <input type="checkbox"/> Crimping <input type="checkbox"/> Gluing <input type="checkbox"/> See below	Carbons <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> See below All carbons shall be premium grade, to provide a clear and legible impression on each part.	
Size Tornout Overall 4-1/2" x 3" Stub size <input type="checkbox"/> At printer's option <input type="checkbox"/> Must be	<input type="checkbox"/> All parts identical <input type="checkbox"/> See below	Punching <input type="checkbox"/> Marginal Pinfeeds <input type="checkbox"/> Other:	Envelope construction Window size Window location from left from bottom No deviations greater than 1/16" accepted. <input type="checkbox"/> See below <input type="checkbox"/> Diagonal seams Split gumming Free from curl	
Presswork <input type="checkbox"/> Front only <input checked="" type="checkbox"/> Front and back Head to Ink	<input type="checkbox"/> Marginals <input checked="" type="checkbox"/> Numbering <input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Registration <input type="checkbox"/> All parts must register exactly <input type="checkbox"/> Registration not required <input type="checkbox"/> See below	Perforations <input type="checkbox"/> Vertical - For pinfeeds: Left , Right Other from left / right edge. <input type="checkbox"/> Horizontal - Every between forms Other from bottom. <input type="checkbox"/> See below	
Composition <input type="checkbox"/> Printer must set composition <input type="checkbox"/> Negatives <input checked="" type="checkbox"/> Repro copy	Mailing Outside envelope Return envelope Other inserts		Proofs <input checked="" type="checkbox"/> Proofs in duplicate required <input type="checkbox"/> No proofs required	

Printing Positions:

NUMBERING:

TMT-40 one (1) alpha character with five (5) digit number for the remainder of the order as follows:

25,000
Y00000 thru Y24999

There will be no skips or errors accepted in the numbering sequence.

Serial numbers are to be printed in the colors as specified. The serial numbers must be legible and clearly defined and measure 1/2" + 1/16" wide x 1" to 1-1/4" high.

1 Additional sheet(s) of specifications attached.

Negatives and / or reproduction copies become the property of the New York State Department of Taxation and Finance, and must be delivered upon completion of order to:

**BUREAU OF FISCAL SERVICES
ATTN: PURCHASING UNIT
BUILDING 9, ROOM 234, STATE CAMPUS
ALBANY, NY 12227**

Delivery Instructions. All cartons must be marked on outside ends with quantity, form number, and purchase order number. Palletize on disposable pallets if shipment contains 20 or more cartons. Limitation: Height - 6 1/2'; Weight - 1 ton; Width - 42". Shipments not accepted after 3:30 p.m. daily.

Form no., print date, title TMT-6 Highway Use Tax Sticker - 24th Series		Date prepared 01/28/2021
Style <input type="checkbox"/> Continuous <input type="checkbox"/> Snap-set <input type="checkbox"/> Envelope	Number of parts 1 <input checked="" type="checkbox"/> See below	Prepared by <input type="checkbox"/> Computer printer <input type="checkbox"/> Typewriter <input type="checkbox"/> Pen / pencil <input type="checkbox"/> See below
Stock Color Weight Type	<input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Fastening All parts and carbons fastened together by: <input type="checkbox"/> Crimping <input type="checkbox"/> Gluing <input type="checkbox"/> See below
Size Tornout Overall 4-1/2" x 3" Stub size <input type="checkbox"/> At printer's option <input type="checkbox"/> Must be	<input type="checkbox"/> All parts identical <input type="checkbox"/> See below	Carbons <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> See below All carbons shall be premium grade, to provide a clear and legible impression on each part.
Presswork <input type="checkbox"/> Front only <input checked="" type="checkbox"/> Front and back Head to Ink	<input type="checkbox"/> Marginals <input checked="" type="checkbox"/> Numbering <input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Envelope construction Window size Window location No deviations greater than 1/16" accepted.
Composition <input type="checkbox"/> Printer must set composition <input type="checkbox"/> Negatives <input checked="" type="checkbox"/> Repro copy	Mailing Outside envelope Return envelope Other inserts	Perforations <input type="checkbox"/> Vertical - For pinfeeds: Left , Right Other from left / right edge. <input type="checkbox"/> Horizontal - Every between forms Other from top / bottom. <input type="checkbox"/> See below
		Proofs <input checked="" type="checkbox"/> Proofs in duplicate required <input type="checkbox"/> No proofs required

Special Instructions:

Decal (Size):4-1/2" X 3", with adhesive on back, plus split on back or bend and peel tab. This shall allow for the easy and complete removal of the backing liner without damaging the printed film.

STOCK:FLEXcon TAMPERmark PM 200 white void II polyester or equal. There shall be incorporated in each sticker a security feature that if an attempt is made to remove the sticker from the vehicle, the sticker will void.

ADHESIVE: Solvent based adhesive.

NOTE WELL: If other than specified stock is proposed, manufacturer's product data sheet and uncolored sample must be submitted with bid. Department will determine in its sole discretion if proposed stock is equal.

Presswork (Ink): Text and sequential numbering on front of stickers and on the back of the liner text will print in fade resistant black ink. The background of the sticker will print 4 ¼ in. x 2 ¾ in. (this will allow for a 1/8" white border around the edge of the sticker) with pantone 3125 Blue sun inks or comparable. Screening or flood coating is not acceptable.

LAMINATE: After presswork is complete stickers must be laminated with a 1 mil clear poly laminate. Stickers must be guaranteed to hold up to outdoor year round elements for a minimum of three years without fading or cracking.

COPY: Camera-ready copy will be provided. Instructions for applying the sticker will print on the back of the liner.

METHOD OF APPLICATION:

The method of application shall be as follows:

1. Remove protective slip-sheet from adhesive side of the sticker.
2. Position sticker, then squeegee firmly until tightly affixed to surface.



1

Additional sheet(s) of specifications attached.

Negatives and / or reproduction copies become the property of the New York State Department of Taxation and Finance, and must be delivered upon completion of order to:

**BUREAU OF FISCAL SERVICES
ATTN: PURCHASING UNIT
BUILDING 9, ROOM 234, STATE CAMPUS
ALBANY, NY 12227**

Delivery Instructions. All cartons must be marked on outside ends with quantity, form number, and purchase order number. Palletize on disposable pallets if shipment contains 20 or more cartons. Limitation: Height - 6 1/2'; Weight - 1 ton; Width - 42". Shipments not accepted after 3:30 p.m. daily.

Printing Positions

Form no., print date, title TMT-6 Highway Use Tax Sticker - 24th Series		Date prepared 01/28/2021
Style <input type="checkbox"/> Continuous <input type="checkbox"/> Snap-set <input type="checkbox"/> Envelope	Number of parts 1 <input checked="" type="checkbox"/> See below	Prepared by <input type="checkbox"/> Computer printer <input type="checkbox"/> Typewriter <input type="checkbox"/> Pen / pencil <input type="checkbox"/> See below
Stock Color Weight Type	<input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Fastening All parts and carbons fastened together by: <input type="checkbox"/> Crimping <input type="checkbox"/> Gluing <input type="checkbox"/> See below
Size Tornout Overall 4-1/2" x 3" Stub size <input type="checkbox"/> At printer's option <input type="checkbox"/> Must be	<input type="checkbox"/> All parts identical <input type="checkbox"/> See below	Carbons <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> See below All carbons shall be premium grade, to provide a clear and legible impression on each part.
Presswork <input type="checkbox"/> Front only <input checked="" type="checkbox"/> Front and back Head to Ink	<input type="checkbox"/> Marginals <input checked="" type="checkbox"/> Numbering <input type="checkbox"/> All parts identical <input checked="" type="checkbox"/> See below	Envelope construction Window size Window location No deviations greater than 1/16" accepted.
Composition <input type="checkbox"/> Printer must set composition <input type="checkbox"/> Negatives <input checked="" type="checkbox"/> Repro copy	Registration <input type="checkbox"/> All parts must register exactly <input type="checkbox"/> Registration not required <input type="checkbox"/> See below	Envelope construction Window size Window location No deviations greater than 1/16" accepted. <input type="checkbox"/> Diagonal seams <input type="checkbox"/> Split gumming <input type="checkbox"/> Free from curl <input type="checkbox"/> See below
	Mailing Outside envelope Return envelope Other inserts	Perforations <input type="checkbox"/> Vertical - For pinfeeds: Left, Right, Other from left / right edge. <input type="checkbox"/> Horizontal - Every, Other between forms from bottom. <input type="checkbox"/> See below
		Proofs <input checked="" type="checkbox"/> Proofs in duplicate required <input type="checkbox"/> No proofs required

Printing Positions:

NUMBERING AND PACKING:

TMT-6 six (6) digit number for the first million then one (1) alpha character with five (5) digit number for the remainder of the order as follows:

- 1,7000,000
- 000000 thru 999999
- A00000 thru A99999
- B00000 thru B99999
- C00000 thru C99999
- D00000 thru D99999
- E00000 thru E99999

There will be no skips or errors accepted in the numbering sequence.

Serial numbers are to be printed in the colors as specified. The serial numbers must be legible and clearly defined and measure 1/2" + 1/16" wide x 1" to 1-1/4" high.

1 Additional sheet(s) of specifications attached.

Negatives and / or reproduction copies become the property of the New York State Department of Taxation and Finance, and must be delivered upon completion of order to:

**BUREAU OF FISCAL SERVICES
ATTN: PURCHASING UNIT
BUILDING 9, ROOM 234, STATE CAMPUS
ALBANY, NY 12227**

Delivery Instructions. All cartons must be marked on outside ends with quantity, form number, and purchase order number. Palletize on disposable pallets if shipment contains 20 or more cartons. Limitation: Height - 6 1/2'; Weight - 1 ton; Width - 42". Shipments not accepted after 3:30 p.m. daily.